

ENERGY STAR[®] Statement of Energy Performance

95

Metcalf Building

Primary Property Function: Office Gross Floor Area (ft²): 92,688

Built: 1985

ENERGY STAR® Score¹ For Year Ending: April 30, 2013 Date Generated: April 11, 2014

1. The ENERGY STAR score is a 1-100 assessment of a building's energy efficiency as compared with similar buildings nationwide, adjusting for climate and business activity.

Property & Contact Information **Property Address Property Owner Primary Contact** Metcalf Building Montana Department of Environmental Ronald Pecarina 1520 East 6th Avenue Quality 1520 E 6th Ave 1520 E 6th Ave Helena, MT 59620 Helena, Montana 59620 Helena, MT 59601-4541 4064446590 rpecarina@mt.gov Property ID: 4030099

Energy Consumption and Energy Use Intensity (EUI)						
Site EUI	Annual Energy by Fuel		National Median Comparison			
45.3 kBtu/ft²	Electric - Grid (kBtu)	3,152,229 (75%)	National Median Site EUI (kBtu/ft²)	99.8		
45.3 KDIU/II-	Natural Gas (kBtu)	1,050,968 (25%)	National Median Source EUI (kBtu/ft²)	261.2		
	, ,	,	% Diff from National Median Source EUI	-55%		
Source EUI			Annual Emissions			
118.7 kBtu/ft²		Greenhouse Gas Emissions (MtCO2e/year)	401			

Signature & Stamp of Verifying Professional

I	(Name) verify that the above informati	on is true and correct to the best of	my knowledge.
Signature:	Date:	-	
Licensed Professiona	al		
Ronald Pecarina 1520 E 6th Ave Helena, MT 59620 4064446590 rpecarina@mt.gov			

Professional Engineer Stamp (if applicable)